





Greenlamp

LED RETROFIT LAMPS

PRESLITE DISTRIBUTION LTD
700 Sycamore Road,
Western Industrial Estate,
Dublin 12, D12 EV29, Ireland

T: 00353 (01) 4541015
UK Freephone: 0800 376 1167
E: sales@presliteireland.com
E: sales@greenlamped.co.uk



2024

www.greenlamp.ie

Quality of Design | Value for Money | Safety of Product

TABLE OF CONTENT

LED GU10 LAMPS	1	HALO LED CEILING LIGHT	28
G4 LAMPS	2	ELTON LED CEILING LIGHT	29
2.5W G9 DIMMABLE LAMPS	3	DARIA LED CEILING LIGHT	30
LED GU10 COLOUR CHANGING LAMP	4	SOLO SLIM BULKHEAD	31
GLS LED LAMPS 10W	5	THE WEB	32
GLS EMERGENCY LAMP	6	COMET UFO HIGH BAY	33
DIMMABLE LED FILAMENT LAMPS	7	UFO HIGH BAY	34
LED DIMMABLE CANDLE LAMPS	8	BETA LED BATTEN	35
4W GOLD CANDLE FILAMENT DIMMABLE LAMP	9	VERVE CCT LED BATTEN	36
LED DIMMABLE GOLFBALL LAMPS	10	RIGEL CORROSION PROOF LED BATTEN FITTING	37
LED CCT HIGH POWER CORN LIGHTS	11	NOVA CORROSION PROOF LED BATTEN FITTING	38
LED HIGH POWER CORN LIGHTS	12	CAMBRIDGE LED FITTING	39
IVY 2	13	VIPER LED FITTING	40
EMERALD POWER ADJUST	14	PYTHON	41
JEWEL CCT FIRE RATED DOWNLIGHT	15	12V 4.8W LED RIBBON	42
JADE CCT FIRE RATED DOWNLIGHT	16	12V 14.4W LED RIBBON	43
RUBY CCT FIRE RATED DOWNLIGHT	17	12V 5M RGB KIT	44
NEPTUNE LED DOWNLIGHT	18	SMART WIFI RGB KIT	45
UNIVERSAL EMERGENCY PACK	19	COB LED STRIP 24V	46
TITAN BACK-LIT PANEL	20	COB LED STRIP 24V	47
PANTHER BACK-LIT PANEL	21	COB LED STRIP 24V	48
RECESSED PANEL ACCESSORIES	22	PRE-CUT PACKS	48
BAGUETTE SHAVER LIGHT	23	RGB COB STRIP	49
LED CABINET LIGHTS	24	NEON LED STRIP 240V	50
WARRIOR	25	MAINS 240V COB	51
CCT 16W 2D REPLACEMENT TRAY	26	PRO-CUT	52
MARS LED PANEL	27	ALUMINIUM PROFILE	53

PLASTER IN PROFILE	54	FOREST WALL LIGHT	81
STRIP LIGHT ACCESSORIES	55	WINSTON GU10 WALL LIGHT	82
12V LED DRIVERS	56	HARRIETT WALL LIGHT	83
24V LED DRIVERS	57	DIANE WALL LIGHT	84
LED DIMMABLE DRIVERS	58	ALFIE 15M FESTOON	85
THOR 110V - 240V LED FLOODS	59	PHOENIX GU10 GROUND LIGHT	86
THOR 2 LED FLOODS	60	SELENE LED SOLAR FLOODLIGHT	87
THOR SON LED HIGH POWER FLOODLIGHT	61	THEIA SOLAR FLOODLIGHT	88
LED COLOUR CHANGING FLOODS	62	HELIOS SOLAR FESTOON SET	89
ORBIT LED WALL PACKS	63	SMART HOME	90
CHAMPION MINI WALL PACK	64	WIFI MODULE	91
EAGLE STREET LAMP	65	110V LED FESTOON KITS	92
SAMSON STREET LIGHT	66	CORROSIVE PROOF 110V FITTING	93
HADES LED GROUND LIGHT	67	110V 4.5W EMERGENCY BULKHEAD	94
IRIS UP/DOWN WALL LIGHT	68	NEO EMERGENCY PACK	95
BREEZ BRICK LIGHT	69	CYCLOPS SURFACE EMERGENCY DOWNLIGHT	96
COBRA BULKHEAD	70	UNIVERSAL EMERGENCY PACK	97
ROYAL OVAL CCT LED BULKHEAD	71	MICROWAVE SENSOR AND ENCLOSURES	98
ROYAL ROUND CCT LED BULKHEAD	72	HYDRO OUTDOOR SOCKETS	99
STELLA OVAL LED BULKHEAD	73	HYDRO OUTDOOR SWITCHES	100
VECTOR LED BULKHEAD	74	KINETIC WIRELESS SWITCHES	101
VESTA	75	WARRANTY	102
NERO	76	WEEE & BATTERIES	103
ARIES	77	T&C'S	104
VEGA	78		
LANA	79		
TARA WALL LIGHT	80		

LED GU10 LAMPS



Features

- 3000k
- IP20 rated
- 2 year warranty



200
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
GU4.5WLEDWW	4.5W LED GU10 LAMP	4.5	3000	345	54 x 50



G4 LAMPS



G46LED

G425LED


G4220VLED



33mm



39mm



45mm

Features

- 3000k
- Flat and capsule available
- IP20 rated
- 2 year warranty



100
BOX Quantity




Code	Description	Watts	Kelvin	Lumens	Dimensions
G46LED	2W G4 FLAT LED	2	3000	150	33 x 20 x 8
G425LED	2.5W LED CAPSULE	2.5	3000	200	39 x 13
G4220VLED	2W 220V G4 CAPSULE	2	3000	200	45 x 10

G46LED G425LED G4220VLED



2.5W G9 DIMMABLE LAMPS



Features

- 3000k & 4000k available
- 2.5 watts
- Dimmable
- IP20 rated
- 2 year warranty



100
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
G9LED25WDIM	2.5W G9 LED CAPSULE DIMMABLE	2	3000	230	50 x 14
G9LED25NWDIM	2.5W G9 LED CAPSULE DIMMABLE	2	4000	230	50 x 14



LED GU10 COLOUR CHANGING LAMP



Features

- RGB
- 3 watts
- Comes with remote control
- IP20 rated
- 2 year warranty



Code	Description	Watts	Kelvin	Lumens	Dimensions
CC3WRGBGU10	3W GU10 COLOUR CHANGING LAMP WITH REMOTE	3	RGB	210	60x45



Ireland T: 00353 (01) 4541015 | E: sales@presliteireland.com | W: www.greenlamp.ie
 UK Freephone: 0800 376 1167 | E: sales@greenlamped.co.uk | W: www.greenlamped.co.uk

GLS LED LAMPS 10W



Features

- 3000K
- E27 & B22 base
- IP20 rated
- 2 year warranty



100
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
GLS10E27	10W GLS E27	10	3000	806	110 X 60
GLS10WB22	10W GLS B22	10	3000	806	110 X 60



GLS EMERGENCY LAMP



Features

- Designed with modern LED technology
- Multifunctional usage, can be used as a portable bulb, a camping light and flashlight when fully charged
- 6 hours run time when fully charged
- 3000k
- IP20
- 2 year warranty



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
GLS7WEM	7W EMERGENCY GLS LAMP	7	3000	810	125 X 60



DIMMABLE LED FILAMENT LAMPS



GL6WLEDAM95

GL8WLEDCL125

TD6WLEDCL

Features

- Clear & Amber available
- 95mm & 125mm globes
- 6 watts
- E27/ES Base
- IP20 rated
- 2 year warranty



135mm

95mm



170mm

125mm



130mm

65mm



50 - GLOBE
100 - TEAR DROP
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
GL6WLEDCL95	6W ES 95MM CLEAR GLOBE LED LAMP	6	3000	650	135 X 95
GL6WLEDAM95	6W ES 95MM AMBER GLOBE LED LAMP	6	1800	650	135 X 95
GL8WLEDCL125	6W ES 125MM CLEAR GLOBE LED LAMP	6	3000	650	170 X 125
GL8WLEDAM125	6W ES 125MM AMBER GLOBE LED LAMP	6	1800	650	170 X 125
TD6WLEDCL	6W ES CLEAR VINTAGE TEAR DROP LED LAMP	6	3000	650	130 X 65
TD6WLEDAM	6W ES AMBER VINTAGE TEAR DROP LED LAMP	6	1800	650	130 X 65



LED DIMMABLE CANDLE LAMPS



Features

- 3000k
- 400 lumens
- 4 watts
- IP20 rated
- 2 year warranty



100
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
C4WLEDFILBC	4W BC FILAMENT CANDLE DIMMABLE LAMP	4	3000	400	100 X 35
C4WLEDFILES	4W ES FILAMENT CANDLE DIMMABLE LAMP	4	3000	400	100 X 35
C4WLEDFILSBC	4W SBC FILAMENT CANDLE DIMMABLE LAMP	4	3000	400	100 X 35
C4WLEDFILSES	4W SES FILAMENT CANDLE DIMMABLE LAMP	4	3000	400	100 X 35



4W GOLD CANDLE FILAMENT DIMMABLE LAMP



Features

- 2200k
- 400 lumens
- 4 watts
- IP20 rated
- 2 year warranty



100
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
C4WLEDFILGOSES	4W GOLD DIMMABLE FILAMENT CANDLE	4	2200	400	35 X 98



LED DIMMABLE GOLFBALL LAMPS



Features

- 3000k
- 400 lumens
- 4 watts
- IP20 rated
- 2 year warranty



100
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
GB4WLEDFILBC	4W BC GOLFBALL FILAMENT DIMMABLE LAMP	4	3000	400	70 X 45
GB4WLEDFILES	4W ES GOLFBALL FILAMENT DIMMABLE LAMP	4	3000	400	70 X 45
GB4WLEDFILSBC	4W SBC GOLFBALL FILAMENT DIMMABLE LAMP	4	3000	400	70 X 45
GB4WLEDFILSES	4W SES GOLFBALL FILAMENT DIMMABLE LAMP	4	3000	400	70 X 45



Ireland T: 00353 (01) 4541015 | E: sales@presliteireland.com | W: www.greenlamp.ie
UK Freephone: 0800 376 1167 | E: sales@greenlamped.co.uk | W: www.greenlamped.co.uk

LED CCT HIGH POWER CORN LIGHTS



LED CCT CORN LIGHTS

Features

- LED high power corn lights
- E27 & E40 bases
- CCT - 3000k, 4000k, 5000k
- Input voltage AC100-277V
- IP65 rated
- 5 year warranty



24 - 12W / 18W / 27W

12 - 36W / 63W

6 - 80W

BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
HPCORN12CCT	12W CCT LED HIGH POWER CORN LAMP E27	12	3000/4000/5000	1800	137 X 60
HPCORN18CCT	18W CCT LED HIGH POWER CORN LAMP E27	18	3000/4000/5000	2700	148 x 50
HPCORN27CCT	27W CCT LED HIGH POWER CORN LAMP E27	27	3000/4000/5000	4050	173 X 60
HPCORN36CCT	36W CCT LED HIGH POWER CORN LAMP E27	36	3000/4000/5000	5400	192 X 85
HPCORN63CCT	63W CCT LED HIGH POWER CORN LAMP E27	63	3000/4000/5000	8480	240 x 85
HPCORN80CCT	80W CCT LED HIGH POWER CORN LAMP E40	80	3000/4000/5000	12000	277 X 130



LED HIGH POWER CORN LIGHTS



Features

- Super brightness >135lm/w
- Fast turn on, no warm up or cold start problems
- No UV and IR radiation
- IP65 rated
- 5 year warranty



6
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
HPCORN362K	36W LED HIGH POWER CORN LAMP E27	36	2000	4860	198 X 87
HPCORN100	100W LED HIGH POWER CORN LAMP E40	100	5700	13500	270 X 123
HPCORN120	120W LED HIGH POWER CORN LAMP E40	120	5700	16875	295 X 123
HPCORN150	150W LED HIGH POWER CORN LAMP E40	150	5700	20250	335 X 125
HPCORN200	200W LED HIGH POWER CORN LAMP E40	200	5700	27000	335 X 125



IVY 2



LED ULTRA THIN ROUND CCT PANEL

Features

- New CCT Version 3000k/4200k/6500k
- Dimmable
- Emergency Available
- Multiple sizes available
- IP44 rated
- 5 year warranty



100 - 3W **20** - 15W
60 - 6W **20** - 18W
40 - 9W **20** - 24W
40 - 12W
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-Out
RCLED3CCT	3w Ultra-thin round LED panel CCT	3	3000/4200/6500	285	85 X 22	75
RCLED6CCT	6w Ultra-thin round LED panel CCT	6	3000/4200/6500	570	120 X 22	105
RCLED9CCT	9w Ultra-thin round LED panel CCT	9	3000/4200/6500	855	145 X 22	130
RCLED12CCT	12w Ultra-thin round LED panel CCT	12	3000/4200/6500	1140	170 X 22	155
RCLED15CCT	15w Ultra-thin round LED panel CCT	15	3000/4200/6500	1400	200 X 22	180
RCLED18CCT	18w Ultra-thin round LED panel CCT	18	3000/4200/6500	1710	240 X 22	220
RCLED24CCT	24w Ultra-thin round LED panel CCT	24	3000/4200/6500	2280	300 X 22	280
D3WLEDDIM	3W Dimmable LED Driver	3			93.5 x 30.5 x 22	
D9WLEDDIM	6-9W Dimmable LED Driver	6-9			87 x 37 X 20	
D15WLEDDIM	12-15W Dimmable LED Driver	12-15			116 x 40 x 22	
D24WLEDDIM	18-24W Dimmable LED Driver	18-24			134 X 41 X 29	



EMERALD POWER ADJUST



LED POWER ADJUSTABLE CCT SELECTABLE DOWNLIGHT

Features

- New power adjustable technology 10w/15w/18w
- Lumen output: 900/1350/1800lm
- CCT Changable
- Surface and recessed capability
- Adjustable brackets to fit holes from 65mm - 205mm
- IP54
- 3 year warranty



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-Out
RSPADIMCCT	POWER ADJUSTABLE CCT SELECTABLE EMERALD DOWNLIGHT	10/15/18	3000/4000/6500	900/1350/1800	230 X 22	65 - 205





JEWEL CCT FIRE RATED DOWNLIGHT



DIRECTIONAL CCT FIRE RATED DOWNLIGHT

Features

- Fire rated: Bs476-21:1987 (30, 60 and 90 minutes)
- 360 degree rotate and fully tiltable
- State of the art LED technology using COB LED chip
- Loop in / loop out box for quick installation
- Available in white, satin chrome and polished chrome
- Dimmable with trailing/leading edge dimmers
- IP65 rated
- 5 year warranty



50
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-Out
DL5WCCT	JEWEL 5W CCT FIRE RATED DOWNLIGHT WHITE	5	2700/4100/5500	500	75 X 25	65
DL5WCCTSC	JEWEL 5W CCT FIRE RATED DOWNLIGHT BRUSHED CHROME	5	2700/4100/5500	500	75 X 25	65
DL5WCCTCH	JEWEL 5W CCT FIRE RATED DOWNLIGHT POLISHED CHROME	5	2700/4100/5500	500	75 X 25	65
DL7WCCT	JEWEL 7W CCT FIRE RATED DOWNLIGHT WHITE	7	2700/4100/5500	700	94 X 32	75
DL7WCCTSC	JEWEL 7W CCT FIRE RATED DOWNLIGHT BRUSHED CHROME	7	2700/4100/5500	700	94 X 32	75
DL7WCCTCH	JEWEL 7W CCT FIRE RATED DOWNLIGHT POLISHED CHROME	7	2700/4100/5500	700	94 X 32	75



JADE CCT FIRE RATED DOWNLIGHT



4 CCT LED IP65 DOWNLIGHT

Features

- 4 CCT - 2700k/3000k/4000k/6000k
- 5 watts
- Fully fire rated for 30,60 and 90 minute ceilings
- Black, Chrome and Brushed chrome trims available
- Speed fit loop in/out push fit terminals for solid or stranded cable
- IP65 rated
- 5 year warranty



50
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-Out
FRD5CCT	5W 4 CCT FIRE RATED DOWNLIGHT	5	2700/3000/4000/6000	520	84 X 58	65
FRDTRBL	BLACK TRIM FOR FRD5CCT					
FRDTRCH	CHROME TRIM FOR FRD5CCT					
FRDTRSCH	BRUSHED CHROME TRIM FOR FRD5CCT					



RUBY CCT FIRE RATED DOWNLIGHT



5/8W 4 CCT FIRE RATED DOWNLIGHT

Features

- 4 CCT - 2700k/3000k/4000k/6000k
- Fire rated for 30, 60 and 90 minutes
- Dimmable with all leading/trailing edge dimmers
- Brushed chrome trim included
- Speed fit loop in/out push fit terminals for solid or stranded cable
- Wattage select - 5w/8w
- Brushed brass trim available
- IP65 rated
- 5 year warranty



50
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-Out
RU58W4CCT	4CCT FIRE RATED WATTAGE SELECT DOWNLIGHT	5/8	2700/3000/4000/6000	500/800	87 X 50	70-75
RUTRIMBR	Brushed Brass Trim					



NEPTUNE LED DOWNLIGHT



DL7CCTWH / DL7CCTBL



CCT LED DIMMABLE DOWNLIGHT WITH CHROME TRIM

Features

- CCT - 3000k/4000k/6000k
- 7w, 10w & 20w available
- Dimmable
- Comes with chrome trim
- 40,000 hours average lifetime
- IP54 rated
- 3 year warranty

DL10CCTDIM



DL20CCTDIM



40 - 7W / 10W
20 - 20W
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-Out
DL7CCTWH	7W CCT DIMMABLE DOWNLIGHT - WHITE	7	3000/4000/6000	550	85 X 58	68
DL7CCTBL	7W CCT DIMMABLE DOWNLIGHT - BLACK	7	3000/4000/6000	550	85 X 58	68
DL10CCTDIM	10W CCT DIMMABLE DOWNLIGHT - WHITE	10	3000/4000/6000	880	135 X 70	106
DL20CCTDIM	20W CCT DIMMABLE DOWNLIGHT - WHITE	20	3000/4000/6000	1980	250 X 110	200-240




UNIVERSAL EMERGENCY PACK



Features

- Plug and play design
- 3-4 hours emergency time
- Works on all fittings up to 100w
- Ranges from 9-80v output
- IP20 rated
- 3 year warranty



1
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-Out
EMUL3W	100W UNIVERSAL EMERGENCY PACK FOR LED FITTINGS UPTO	100			174 X 52 X 51	





TITAN BACK-LIT PANEL



CCT BACK-LIT PANELS

Features

- CCT - 3000k/4000k/6000k
- 3 sizes available
- Comes with flicker free LED driver
- Standard, dimmable and dali dimmable available
- Deeper construction allows better air circulation and prevents heat build up
- IP20 rated
- 5 year warranty



8 - 600X600

6 - 1200 X 300

4 - 1200 X 600


BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
BLPANEL40CCT	40W TITAN BACK LIT PANEL CCT 600 X 600	40	3000/4000/6000	4000	600 X 600 X 30
BLPANEL50CCT	50W TITAN BACK LIT PANEL CCT 1200 X 300	50	3000/4000/6000	5000	1200 X 300 X 30
BLPANEL60CCT	60W TITAN BACK LIT PANEL CCT 1200 X 600	60	3000/4000/6000	6000	1200 X 600 X 30
PANELDRIVER40DIM	40W DIMMABLE DRIVER FOR TITAN PANELS				
PANELDRIVER60DIM	60W DIMMABLE DRIVER FOR TITAN PANELS				
LEDPANELSKIT	LED PANEL SUSPENSION KIT				




PANTHER BACK-LIT PANEL



CCT BACK-LIT PANELS

Features

- CCT - 3000k/4000k/6500k
- Deeper construction allows better air circulation and prevents heat build up
- IP20 rated
- 3 year warranty



8




BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
BUPANEL40CCT	40W PANTHER BACK LIT PANEL CCT 600 X 600	40	3000/4000/6000	4000	600 X 600 X 30



RECESSED PANEL ACCESSORIES



Features


- Surface box for panel lights
- Available in a range of sizes
- 3 year warranty



Code	Description	Dimensions
LEDPANELBOX	SURFACE BOX FOR 600 X 600 PANEL LIGHTS	605 X 605 X 45
LEDPANELBOX2	SURFACE BOX FOR 1200 X 600 PANEL LIGHTS	1205 X 605 X 45
LEDPANELBOX3	SURFACE BOX FOR 1200 X 300 PANEL LIGHTS	1205 X 305 X 45
BLPANELBOX	SURFACE BOX FOR 600 X 600 BACK-LIT PANEL LIGHTS	605 X 605 X 65
BLPANELBOX2	SURFACE BOX FOR 1200 X 600 BACK-LIT PANEL LIGHTS	1205 X 605 X 65
BLPANELBOX3	SURFACE BOX FOR 1200 X 300 BACK-LIT PANEL LIGHTS	1205 X 305 X 65



BAGUETTE SHAVER LIGHT



7W LED DUAL VOLTAGE SHAVER LIGHT

Features

- 4000k
- Dual voltage shaver socket
- Mains - no driver needed
- Chrome and white available
- IP44 rated
- 3 year warranty



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
SL7WLEDWH	7W LED DUAL VOLTAGE SHAVER LIGHT - WHITE	7	4000	700	500 X 60 X 48
SL7WLEDCH	7W LED DUAL VOLTAGE SHAVER LIGHT - CHROME	7	4000	700	500 x 60 x 48



LED CABINET LIGHTS

PUCK





WEDGE



Features

- Triangle and circle cabinet lights
- CCT - 3000k, 4000k & 6000k
- Pre-wired with 1.1m cable
- Mains - no driver needed
- IP20 rated
- 5 year warranty



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-Out
DL2.5WCCTCH	2.5W LED CCT CABINET DOWNLIGHT CHROME	2,5	3000K/4000/6000	220	69 X 69X 22	55
DL2.5WCCTWH	2.5W LED CCT CABINET DOWNLIGHT WHITE	2,5	3000K/4000/6000	220	69 X 69X 22	55
TDL2.5WCCTCH	2.5W LED CCT TRIANGLE CABINET DOWNLIGHT CHROME	2,5	3000K/4000/6000	220	123 X 120 X 35	55



WARRIOR



PLUG & PLAY POWER ADJUST CCT BULKHEAD

Features

- New Plug & Play Warrior Bulkhead
- Power adjustable - 8w/14w/16w
- 5 CCT 2700k/3000k/4000k/5000k/6000k
- IP65 rated
- 5 year warranty





10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
CCTPALED	WARRIOR POWER ADJUST CCT BULKHEAD	8/14/16	2700/3000/4000/ 5000/6000	1530	316 x 316 x 74
WAREM	EMERGENCY PACK FOR WARRIOR	-	-	-	119 x 70 x 35
WARSEN	SENSOR PACK FOR WARRIOR	-	-	-	51 x 27 x 18



CCT 16W 2D REPLACEMENT TRAY



Features

- Maintenance free instant light
- High output for unlimited switching 50,000 hours average lifetime
- Standard, Emergency, Microwave sensor, emergency + microwave sensor available
- CCT changeable 3000k/4000k/6000k
- IP20 rated
- 5 year warranty



Code	Description	Watts	Kelvin	Lumens	Dimensions
CCTTR16WLED	2D CCT 16W UNIVERSAL LED TRAY	16	3000/4000/6000	1700	250 X 25
CCTTR16WLEDEMER	2D CCT 16W UNIVERSAL LED TRAY WITH EMERGENCY	16	3000/4000/6000	1700	250 X 25
CCTTR16WLEDS	2D CCT 16W UNIVERSAL LED TRAY WITH SENSOR	16	3000/4000/6000	1700	250 X 25
CCTTR16WLEDEMERS	2D CCT 16W UNIVERSAL LED TRAY EM + SENSOR	16	3000/4000/6000	1700	250 X 25



MARS LED PANEL



LED 18W SLIM LED PANEL

Features

- CCT adjustable 3000k/4000k/6000k
- Lumen output: 1530lm
- Ultra Slim Body - Only 18mm
- Available in standard and sensor
- 5 minute hold time on sensor
- Surface and recessed capability
- Lifetime: 30,000hrs
- Adjustable brackets to fit hole from 65mm
- IP20 rated
- 3 year warranty



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
SLM18CCT	18W Ultra slim surface CCT fitting	18	3000/4000/6000	1530	220 x 18
SLM18CCTSEN	18W Ultra slim surface CCT sensor fitting	18	3000/4000/6000	1530	220 x 18



HALO LED CEILING LIGHT



CCT Halo Bulkhead

Features

- Super slim design for elegant appearance
- Soft back surround glow giving aesthetic halo effect
- CCT 3000/4000/6500k
- Silver and white available
- 3 year warranty
- IP54 rated



25mm

290mm



30mm

420mm



10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
HL18LEDCCT	18W HALO LED BULKHEAD - WHITE	18	3000/4000/6500	1620	290 X 25
HL18LEDCCTSR	18W HALO LED BULKHEAD - SILVER	18	3000/4000/6500	1620	290 X 25
HL24LEDCCT	24W HALO LED BULKHEAD - WHITE	24	3000/4000/6500	2400	420 X 30
HL24LEDCCTSR	24W HALO LED BULKHEAD - SILVER	24	3000/4000/6500	2400	420 X 30




ELTON LED CEILING LIGHT



CCT DIMMABLE LED CEILING LIGHT

Features

- 24w & 35w available
- CCT - 3000/4000/6500k
- Dimmable
- IP65 rated
- 3 year warranty



10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
EL24WCCT	24W CCT DIMMABLE CEILING LAMP	24	3000/4000/6500	2400	300 X 40
EL35WCCT	35W CCT DIMMABLE CEILING LAMP	35	3000/4000/6500	3500	400 X 40




DARIA LED CEILING LIGHT



LED CEILING LIGHT

Features

- 2 types available
- 28w and 18w available
- 4000k and CCT
- IP54 rated
- 2 year warranty



16 - 28W
20 - 18W
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
DAR18CCT	DARIA 18W CCT CEILING LAMP	18	3000/4000/6500	1530	280 X 47
DAR28WLED	DARIA 28W 4000K CEILING LAMP	28	4000	2380	380 X 60




SOLO SLIM BULKHEAD



Features

- 18w LED round bulkhead
- 220v - 240v
- CCT 3000/4000/6000k
- 3 year warranty
- IP54 rated




10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
SL18WLEDCCT	18W LED CCT BULKHEAD	18	3000/4000/6000	1800	280 X 50



THE WEB



Features


- LED linkable battens
- Units sold individually
- Can create numerous designs and shapes
- Plug and play system
- 7w, 10w, 14w & 18 watts
- 6000k
- 4 sizes available
- IP20 rated
- 2 year warranty



Code	Description	Watts	Kelvin	Lumens	Dimensions
WEB7W	7W WEB LINKABLE BATTEN	7	6000	630LM	440 X 22 X 37
WEB10W	10W WEB LINKABLE BATTEN	10	6000	900LM	570 X 22 X 37
WEB14W	14W WEB LINKABLE BATTEN	14	6000	1260LM	870 X 22 X 37
WEB18W	18W WEB LINKABLE BATTEN	18	6000	1620LM	1180 X 22 X 37
WEBPOWERC	WEB POWER CONNECTOR				
WEBT	T CONNECTOR				
WEB90	90° ANGLE CONNECTOR				
WEB120-2	120° ANGLE CONNECTOR				
WEB120-3	Y SHAPE 120° CONNECTOR				
WEB180	STRAIGHT THROUGH CONNECTOR				



COMET UFO HIGH BAY



150W & 200W CCT UFO HIGH BAY

Features

- 150w & 200w available
- High lumen output
- CCT 4000k, 5000k, 6000k
- 3 year warranty
- IP65 rated




1
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
HVB150WLEDCCT	150W CCT HIGH BAY	150	4000/5000/6000	16,000	280 X 98
HVB200WLEDCCT	200W CCT HIGH BAY	200	4000/5000/6000	22,000	310 X 100



UFO HIGH BAY



POWER ADJUSTABLE CCT UFO HIGH BAY

Features

- New power adjustable technology
- High lumen output
- CCT 4000k, 5000k, 6000k
- 5 year warranty
- IP65 rated





1
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
UF0150WLEDCCT	POWER ADJUSTABLE CCT UFO HIGH BAY	90W/120W/150W	4000/5000/6000	24,000	298 X 164
UF0200WLEDCCT	POWER ADJUSTABLE CCT UFO HIGH BAY	120W/160W/200W	4000/5000/6000	32,000	350 X 170



BETA LED BATTEN



CCT LED BATTEN

Features

- Available in 2ft, 3ft, 4ft & 5ft
- CCT - 3000/4000/6500k
- 90lm per watt
- IP20 rated
- 3 year warranty



20
BOX Quantity




Code	Description	Watts	Kelvin	Lumens	Dimensions
BF18CCT	18W 2FT CCT LED BATTEN	18	3000/4000/6500	1620	600 X 76 X 24
BF24CCT	24W 3FT CCT LED BATTEN	24	3000/4000/6500	2160	900 X 76 X 24
BF36CCT	36W 4FT CCT LED BATTEN	36	3000/4000/6500	3240	1200 X 76 X 24
BF45CCT	45W 5FT CCT LED BATTEN	45	3000/4000/6500	4050	1500 X 76 X 24



Ireland T: 00353 (01) 4541015 | E: sales@presliteireland.com | W: www.greenlamp.ie
 UK Freephone: 0800 376 1167 | E: sales@greenlamped.co.uk | W: www.greenlamped.co.uk

VERVE CCT LED BATTEN



5FT LED BATTEN

Features

- Wattage select - 32w/52w on the standard fitting
- Also available in emergency
- Metal body with white finish
- T8 replacement LED batten
- CCT
- 5 year warranty
- IP20 rated



8

BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
BAN1550CCT	VERVE POWER ADJUST CCT 5FT LED BATTEN	32/52	3000/4000/6000	4320/7020	1470 X 61 X 71
BAN1550CCTEM	VERVE LED BATTEN CCT EMERGENCY	32/52	3000/4000/6000	4320/7020	1470 X 61 X 71




RIGEL CORROSION PROOF LED BATTEN FITTING



IP65 Corrosion Proof LED Batten

Features

- Available in 4000k & 6000k
- Pre wired with 1.5m cable
- 45 watts
- 2 year warranty
- IP65 rated



10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
COR45WLEDIP65	45W 5FT CORROSION PROOF LED BATTEN	45	6000	4040	1500 X 70
COR45WLEDIP65NW	45W 5FT CORROSION PROOF LED BATTEN	45	4000	4040	1500 X 70



NOVA CORROSION PROOF LED BATTEN FITTING



118mm



1540mm

Twin Corrosion Proof LED Batten

Features

- Easy installation with quick release brackets
- Twin body design
- 60 watts
- 5 year warranty
- IP65 rated



6
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
ACF60LED	60W TWIN CORROSION PROOF LED BATTEN	60	4000	6900	1540 X 118 X 75



CAMBRIDGE LED FITTING



81mm I



1490mm

CCT LED SCHOOL FITTING

Features

- Power adjustable 32w/41w/50w/58w
- CCT - 3000/4000/6000k
- 125lm per watt
- IP20 rated
- 5 year warranty




4
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
CAM58	POWER ADJUSTABLE CCT LED CAMBRIDGE FITTING	32/41/50/58	3000/4000/6000	7250	1490 X 200 X 81
CAM58EM	POWER ADJUSTABLE CCT LED CAMBRIDGE EMERGENCY FITTING	32/41/50/58	3000/4000/6000	7250	1490 X 200 X 81



VIPER LED FITTING



CCT Wattage Adjust LED Batten

Features

- Wattage select - 30w/50w
- 5ft
- CCT - 3000k, 4000k, 6000k
- Sensor available as an extra
- Emergency pack available
- 5 year warranty
- IP65 rated



6
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
VI5PACCT	VIPER 5ft CCT POWER ADJUST LED BATTEN	30/50	3000/4000/6000	7250	1500 x 105 x 79
VI3WEM	EMERGENCY PACK FOR VIPER BATTEN	-	-	-	237.5 x 51 x 25
VI5SEN	SENSOR FOR VIPER BATTEN	-	-	-	97.6 x 22.5 x 26.5



PYTHON



78mm I



LED 48W 5FT BATTEN

Features

- 48 watts
- 5000k
- 4800lm
- 3 year warranty
- IP65 rated



8
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
PY48WLED5K	48W PYTHON LED BATTEN	48	5000	4800	1440 X 78 X 59.7



12V 4.8W LED RIBBON



5MT LED RIBBON

Features

- Various colours available
- Dimmable
- Can be cut every 40ml
- IP65 rated
- 2 year warranty



1
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
LEDST605MCWIP	5MT LED STRIP - COOL WHITE	24	6000	2250	5M X 8 X 3
LEDST605MNWIP	5MT LED STRIP - NATURAL WHITE	24	4000	2250	5M X 8 X 3
LEDST605MWWIP	5MT LED STRIP - WARM WHITE	24	3000	2250	5M X 8 X 3
LEDST605MRIP	5MT LED STRIP - RED	24	RED	1600	5M X 8 X 3
LEDST605MGRIP	5MT LED STRIP - GREEN	24	GREEN	1600	5M X 8 X 3
LEDST605MBIP	5MT LED STRIP - BLUE	24	BLUE	1600	5M X 8 X 3
LEDST605MYIP	5MT LED STRIP - AMBER	24	AMBER	1600	5M X 8 X 3



12V 14.4W LED RIBBON



5MT HD LED RIBBON

Features

- Various colours available
- Dimmable
- Can be cut every 40ml
- IP65 rated
- 2 year warranty



Code	Description	Watts	Kelvin	Lumens	Dimensions
LEDST605MCWHDIP	5MT HD LED STRIP - COOL WHITE	72	6000	5760	5M X 8 X 3
LEDST605MNWHDIP	5MT HD LED STRIP - NATURAL WHITE	72	4000	5760	5M X 8 X 3
LEDST605MWWHD	5MT HD LED STRIP - WARM WHITE	72	3000	5760	5M X 8 X 3
LEDST605MRHDIP	5MT HD LED STRIP - RED	72	RED	5200	5M X 8 X 3
LEDST605MGRHDIP	5MT HD LED STRIP - GREEN	72	GREEN	5200	5M X 8 X 3
LEDST605MBHD	5MT HD LED STRIP - BLUE	72	BLUE	5200	5M X 8 X 3
LEDST605MYHD	5MT HD LED STRIP - AMBER	72	AMBER	5200	5M X 8 X 3



12V 5M RGB KIT



RGB 5M KIT

Features

- Various colours available using the remote
- Comes with driver and remote control
- Can be cut on the multiple marked cut spots
- IP65 rated
- 2 year warranty



10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
LEDSTKITRGBIP5M	5MT RGB STRIP WITH REMOTE & POWER SUPPLY	36	RGB	2800	5M X 8 X 3



SMART WIFI RGB KIT



SMART RGB KIT

Features

- Wi-fi and bluetooth controllable
- Google home and amazon alexa compatible
- Can be connected to music and the lights will change with the beat
- Comes with all controllers and power supply
- Pre set time schedule can be set up via the app



10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
LEDWIFIRGB	5M WIFI SMART CONTROL RGB KIT	30	RGB	1150	5M X 12 X 5



COB LED STRIP 24V



IP20 COB LED STRIP 24V

Features


- LED COB strip available in 3000k, 4000k & 6000k
- Pro cut service available
- Can be cut every 40mm
- 10w per metre
- The strip illuminates a smooth consistent light from start to finish
- The light has no dark spots and is much more attractive to the human eye, giving off a steady uniform light
- Max 10m run
- Can be dimmed using a dimmable driver
- All COB strip cuts come complete with 500mm fit lead
- IP20 rated
- 2 year warranty



Code	Description	Watts	Kelvin	Lumens	Dimensions
LEDST5MCOBWW	24V 5M COB LED STRIP WARM WHITE	500	3000	100LM PER WATT	5M X 8 X 2
LEDST50MCOBWW	24V 50M COB LED STRIP WARM WHITE	10W PER MTR	3000	100LM PER WATT	5M X 8 X 2
LEDST50MCOBNW	24V 50M COB LED STRIP NAT WHITE	10W PER MTR	4000	100LM PER WATT	5M X 8 X 2
LEDST50MCOBCW	24V 50M COB LED STRIP COOL WHITE	10W PER MTR	6000	100LM PER WATT	5M X 8 X 2
CL-FDC09	CONNECTOR FOR COB STRIP				
COBLCON	L CONNECTOR FOR IP20 COB				



COB LED STRIP 24V



IP65 COB LED STRIP 24V

Features

- LED COB strip available in 3000k,4000k & 6000k
- Pro cut service available
- Can be cut every 40ml
- 10w per metre
- The strip illuminates a smooth consistent light from start to finish
- The light has no dark spots and is much more attractive to the human eye, giving off a steady uniform light
- Max 10m run
- Can be dimmed using a dimmable driver
- IP65 rated
- 2 year warranty



Code	Description	Watts	Kelvin	Lumens	Dimensions
LEDSTMCOBWWIP65	24V 1M COB LED STRIP WARM WHITE	10W PER MTR	3000	900LM/W	1M X 10 X 4.5
LEDSTMCOBCWIP65	24V 1M COB LED STRIP COOL WHITE	10W PER MTR	3000	900LM/W	1M X 10 X 4.5
LEDSTMCOBNWIP65	24V 1M COB LED STRIP NAT WHITE	10W PER MTR	4000	900LM/W	1M X 10 X 4.5
CL-FDC09	CONNECTOR FOR COB STRIP				



COB LED STRIP 24V PRE-CUT PACKS




Features

- Pre-cut LED COB Strip
- Available in 1m, 2m & 3m packs
- 10w per meter
- The strip illuminates a smooth consistent light from start to finish
- The light has no dark spots and is much more attractive to the human eye, giving off a steady uniform light
- Can be dimmed using a dimmable driver
- IP20 rated
- 3 year warrant



Code	Description	Watts	Kelvin	Lumens	Dimensions
LEDSTCOB1M3K	1M PACK OF 3000K COB	10W/M	3000	100LM/W	1M X 8MM X 2MM
LEDSTCOB1M4K	1M PACK OF 4000K COB	10W/M	4000	100LM/W	1M X 8MM X 2MM
LEDSTCOB1M6K	1M PACK OF 6000K COB	10W/M	6000	100LM/W	1M X 8MM X 2MM
LEDSTCOB2M3K	2M PACK OF 3000K COB	10W/M	3000	100LM/W	2M X 8MM X 2MM
LEDSTCOB2M4K	2M PACK OF 4000K COB	10W/M	4000	100LM/W	2M X 8MM X 2MM
LEDSTCOB2M6K	2M PACK OF 6000K COB	10W/M	6000	100LM/W	2M X 8MM X 2MM
LEDSTCOB3M3K	3M PACK OF 3000K COB	10W/M	3000	100LM/W	3M X 8MM X 2MM
LEDSTCOB3M4K	3M PACK OF 4000K COB	10W/M	4000	100LM/W	3M X 8MM X 2MM
LEDSTCOB3M6K	3M PACK OF 6000K COB	10W/M	6000	100LM/W	3M X 8MM X 2MM

RGB COB STRIP



Features

- RGB COB 24v 10m roll
- High brightness: 2700MCD/M
- Touch remote for RGB COB
- 3 year warranty
- IP65 rated



Code	Description	Watts	Kelvin	Dimensions
LEDSTRGBCOB	RGB COB STRIP 24V 10M ROLL	14.4W PER METER	RGB	10M X 33MM X 12MM
LEDSTRGBREMOTE	Remote control for RGB COB	-	-	5M X 12 X 5



NEON LED STRIP 240V



IP65 NEON LED STRIP 240V

Features

- LED Neon strip available in a range of colours
- Pro cut service available
- Can be cut every meter
- 8w per meter
- 60 lumens per watt
- Mains 240v
- Maximum roll 50m
- Because its so flexible, its installation is simple and can be installed anywhere and can adapt to all sorts of corners, logos, signs etc
- IP65 rated
- 2 year warranty



1
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
LEDST50MNEONWW	50M ROLL NEON STRIP WARM WHITE	400	3000	2400	50 X 16 X 8
LEDST50MNEONNW	50M ROLL NEON STRIP NATURAL WHITE	400	4000	2400	50 X 16 X 8
LEDST50MNEONWW	50M ROLL NEON STRIP COOL WHITE	400	6000	2400	50 X 16 X 8
LEDST50MNEONGR	50M ROLL NEON STRIP GREEN	400	GREEN		50 X 16 X 8
LEDST50MNEONRED	50M ROLL NEON STRIP RED	400	RED		50 X 16 X 8
LEDST50MNEONBLUE	50M ROLL NEON STRIP BLUE	400	BLUE		50 X 16 X 8
LEDST50MNEONAM	50M ROLL NEON STRIP AMBER	400	AMBER		50 X 16 X 8
CL - FDC08	POWER CONNECTOR FOR NEON STRIP				



MAINS 240V COB



Features

- 240v
- Available in 2000k & 3000k
- Can be cut every half meter
- Pro cut service available
- Maximum roll 50m
- 10w per meter
- 80lm/w



Code	Description	Watts	Kelvin	Lumens	Dimensions
LEDST50MCOB2K240V	50M ROLL 240V MAINS COB 2K	10W PER MTR	2000	80LM/W	50M X 13MM X 5MM
LEDST50MCOB3K240V	50M ROLL 240V MAINS COB 3K	10W PER MTR	3000	80LM/W	50M X 13MM X 5MM
CL - FDC10	POWER SUPPLY FOR ABOVE				



GreenLamp Cutting Service

PRO-CUT

NOW AVAILABLE




Greenlamp®

NEON 240V LED STRIP



- 240v Mains LED Neon
- 60 Lumens per Watt
- IP 65 Rated Waterproof feature of the Light makes it ideal for Indoor and Outdoor use.
- High-quality translucent Silicone cover that offers uniform light
- This performs better than the standard Strip lights with visible individual LED Chips.
- Because it's so flexible, its installation is simple and can be installed anywhere and can adapt to all sorts of corners, logos, signs, etc.
- Maximum roll 50m

240V, 50M ROLL NEON LED STRIP
AVAILABLE IN *WARM WHITE
***COOL WHITE *GREEN *RED *BLUE**



COB LED STRIP



- 24v, Mains 240v and RGB COB available
- 24v COB available in pre-cut packs of 1m, 2m & 3m
- IP20 & IP65 available
- The strip illuminates a smooth, consistent light from start to finish.
- The uniform light has no dark spots and is much more attractive to the human eye, giving off a steady Uniform light .
- This performs better than the standard Strip lights with visible individual LED Chips.
- Because it's so flexible, its installation is simple and can be installed anywhere and can adapt to all sorts of corners.
- Maximum run 10m


50M ROLLS AVAILABLE
3000k / 4000k / 6000k



- All COB Strip Cuts Come Complete with 500mm Fit Lead
- 30w -200w Drivers Available



ALUMINIUM PROFILE



Features


- Surface, recessed and corner profile
- Available in 1m and 2m lengths
- Black profile available in 2m surface
- 5 year warranty



Code	Description	Dimensions	Cut-Out
LEDPROS2MBL	ALUMINIUM 2M SURFACE BLACK PROFILE	2M X 17.5 X 7	
LEDPROS1M	ALUMINIUM PROFILE SURFACE 1MT C/W COVER	1M X 17.5 X 7	
LEDPROS2M	ALUMINIUM PROFILE SURFACE 2MT C/W COVER	2M X 17.5 X 7	
LEDPROR1M	ALUMINIUM PROFILE RECESSED 1MT C/W COVER	1M X 24 X 7	18 X 6
LEDPROR2M	ALUMINIUM PROFILE RECESSED 2MT C/W COVER	2M X 24 X 7	18 X 6
LEDPROC1M	ALUMINIUM PROFILE CORNER 1MT C/W COVER	1M X 22 X 16	
LEDPROC2M	ALUMINIUM PROFILE CORNER 2MT C/W COVER	1M X 22 X 16	



PLASTER IN PROFILE



Features

- High quality pure aluminium material
- PMMA material cover
- Plaster in profile recessed design for easy installation
- 5 year warranty



40
BOX Quantity



Code	Description	Dimensions	Cut-Out
LEDPRO2MPL	ALUMINIUM 2M PLASTER IN PROFILE	2000 X 56 X 15	



STRIP LIGHT ACCESSORIES



Features

- Range of accessories for 12v strip light
- 2 year warranty



10 FL-PROS
50 CL-FDC03
50 CL-FDC04
1 FL-RGB-A
BOX Quantity



Code	Description	Dimensions
FL-PROS	ANGLE FOR SURFACE PROFILE	46 X 46 X 7
CL-FDC02	LED STRIP MINI PLUG FOR SOLID COLOUR	170 X 15 X 8
CL-FDC04	RGB STRIP MINI PLUG	170 X 15 X 8
FL-RGB-A	RGB AMPLIFIER	115 X 63 X 8



12V LED DRIVERS



LED 12V DRIVERS

Features

- 2 year warranty
- 6w - 60w IP20 rated
- 100w, 150w, 200w IP67 rated



Code	Description	Watts	Dimensions
D6WLED	12V 6W LED DRIVER	6	91 X 42 X 18.6
D12WLED	12V 12W LED DRIVER	12	91 X 42 X 18.6
D30WLEDSS	12V 30W MINI LED DRIVER	30	91 X 42 X 18.6
D30WLED	12V 30W MINI LED DRIVER	30	165 X 50 X 17
D60WLED	12V 60W LED DRIVER	60	165 X 50 X 17
D100WLED	12V 100W LED DRIVER	100	165 X 50 X 17
D150WLED	12V 150W LED DRIVER	150	165 X 50 X 17
D200WLED	12V 200W LED DRIVER	200	223 X 68 X 40



24V LED DRIVERS



LED 24V DRIVERS

Features

- 2 year warranty
- 12W, 20W, 30W, 60W IP20 rated
- 120W, 150W, 180W IP67 rated



1
BOX Quantity



Code	Description	Watts	Dimensions
D12WLED24V	24V 12W LED DRIVER	12	99 X 46 X 15
D20WLED24V	24V 20W LED DRIVER	20	128 X 50 X 15
D30WLED24V	24V 30W LED DRIVER	30	165 X 50 X 16.5
D60WLED24V	24V 60W LED DRIVER	60	165 X 50 X 16.5
D120WLED24V	24V 120W LED DRIVER	120	182 X 63 X 20
D150WLED24V	24V 150W LED DRIVER	150	224 X 67 X 29
D180WLED24V	24V 180W LED DRIVER	180	224 X 67 X 29



LED DIMMABLE DRIVERS



LED DIMMABLE DRIVERS

Features

- 2 year warranty
- 100w, 150w IP67 rated
- 50w IP20 rated



1
BOX Quantity



Code	Description	Watts	Dimensions
D50WLEDDIM	12V 50W DIMMABLE DRIVER	50	178 X 61 X 24
D100WLEDDIM	12V 100W DIMMABLE DRIVER	100	230 X 70 X 43
D150WLEDDIM	12V 150W DIMMABLE DRIVER	150	256 X 78 X 47
D50W24VDIM	24V 50W DIMMABLE DRIVER	50	178 X 61 X 24
D100W24VDIM	24V 100W DIMMABLE DRIVER	100	230 X 78 X 47
D150W24VDIM	24V 150W DIMMABLE DRIVER	150	256 X 78 X 47



Ireland T: 00353 (01) 4541015 | E: sales@presliteireland.com | W: www.greenlamp.ie
 UK Freephone: 0800 376 1167 | E: sales@greenlampled.co.uk | W: www.greenlampled.co.uk


THOR 110V - 240V LED FLOODS



110V - 240V LED FLOODLIGHT

Features

- 6000k
- 120lm per watt
- 50w - 200w 110V - 240V
- 5 year warranty
- IP65 rated



FL50LED



5 50W / 100W
4 150W / 200W / 300W
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
FL50LED	50W LED FLOODLIGHT	50	6000	6000	242 X 210 X 58
FL100LED	100W LED FLOODLIGHT	100	6000	12000	280 X 254 X 70
FL150LED	150W LED FLOODLIGHT	150	6000	18000	347 X 310 X 80
FL200LED	200W LED FLOODLIGHT	200	6000	24000	383 X 353 X 95
FL300LED	300W LED FLOODLIGHT	300	6000	36000	383 X 353 X 95



THOR 2 LED FLOODS



CCT LED FLOODLIGHT

Features

- CCT - 2000k, 4000k, 6000k
- Grey Finish with a curved bracket
- 120lm/w
- 190 - 260v
- 5 year warranty
- IP65 rated



FL50LEDCCCT



6
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
FL50LEDCCCT	50W LED FLOODLIGHT CCT	50	2000K/4000K/6000K	6000	266 X 190 X 35.2
FL100LEDCCCT	100W LED FLOODLIGHT CCT	100	2000K/4000K/6000K	12000	315 X 243.4 X 35.2
FL150LEDCCCT	150W LED FLOODLIGHT CCT	150	2000K/4000K/6000K	18000	363 X 290.8 X 43.4
FL200LEDCCCT	200W LED FLOODLIGHT CCT	200	2000K/4000K/6000K	24000	420 X 343.4 X 43.7



THOR SON LED HIGH POWER FLOODLIGHT



FL50WLED2K

2K SON FLOODLIGHT WITH PHILIPS LED CHIP

Features

- 2000k colour to replicate old son colour
- Range from 50-200 watt
- 5 year warranty
- IP65 rated



5 50W / 100W

4 150W / 200W / 300W

BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
FL50WLED2K	50W LED FLOODLIGHT 2000K	50	2000	6000	240 X 210 X 55
FL100WLED2K	100W LED FLOODLIGHT 2000K	100	2000	12000	345 X 295 X 60
FL200WLED2K	200W LED FLOODLIGHT 2000K	200	2000	24000	382 X 350 X 95



LED COLOUR CHANGING FLOODS




FL20LEDRGB

RGB FLOODLIGHTS WITH REMOTE

Features

- Built in memory function
- RGB
- Comes with remote control
- 2 year warranty
- IP65 rated

 **20** 20W
10 30W / 50W
5 100W
BOX Quantity

Code	Description	Watts	Kelvin	Lumens	Dimensions
FL20LEDRGB	20W LED RGB FLOODLIGHT	20	RGB	1400	180 X 140 X 90
FL30LEDRGB	30W LED RGB FLOODLIGHT	30	RGB	2100	223 X 180 X 100
FL50LEDRGB	50W LED RGB FLOODLIGHT	50	RGB	3500	280 X 230 X 110
FL100LEDRGB	100W LED RGB FLOODLIGHT	100	RGB	7000	265 X 254 X 90



ORBIT LED WALL PACKS



20W/30W LED SLIM WALL PACK

Features

- 20/30 watts
- CCT - 3000k, 4000k, 6000k
- 3000lm
- 5 year warranty
- IP65 rated



Code	Description	Watts	Kelvin	Lumens	Dimensions
BUL30WLEDCCCT	20W/30W SLIM LED WALL PACK	20W/30W	3000 / 4000 / 6000	3000	306 x 265 x 110
BUL30WLEDEMCCT	20W/30W SLIM LED WALL PACK EMERGENCY	20W/30W	3000 / 4000 / 6000	3000	306 x 265 x 110
BUL30WLEDPCCT	20W/30W SLIM LED WALL PACK PHOTOCELL	20W/30W	3000 / 4000 / 6000	3000	306 x 265 x 110
BUL30WLEDPCMCCT	20W/30W SLIM LED WALL PACK PHOTOCELL + EMERGENCY	20W/30W	3000 / 4000 / 6000	3000	306 x 265 x 110



CHAMPION MINI WALL PACK



20W WALL PACK

Features

- 20 watts
- Compact design measuring 218 x 147 x 78mm
- New universal design - Fitting can be standard or photocell
- Multiple entry points for quick and easy installation
- Covers 100v - 270v
- 5 year warranty
- IP65 rated



MINI20WPC2K



10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
MINI20WPC2K	20W LED WALL PACK WITH PHOTOCELL	20	2000	2700	218 X 147 X 78
MINI20CCT	20W LED CCT WALL PACK WITH PHOTOCELL	20	3000 / 4000 / 5000	2800	218 X 147 X 78



EAGLE STREET LAMP



LED Street lamp with photocell

Features

- 50w & 100w available
- 2000k & 4000k available
- Comes with photocell
- Photocell shorting cap available
- Multi directional bracket can fit outreach & pole top
- IP65 rated
- 3 year warranty



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-out
SL50WLED2K	50W LED STREET LIGHT WITH PHOTOCELL	50	2000	5500	469 X 168 X 63	63
SL50WLED4K	50W LED STREET LIGHT WITH PHOTOCELL	50	4000	5500	469 X 168 X 63	63
SL100WLED2K	100W LED STREET LIGHT WITH PHOTOCELL	100	2000	11000	508 X 237 X 76	63
SL100WLED4K	100W LED STREET LIGHT WITH PHOTOCELL	100	4000	11000	508 X 237 X 76	63
SLSC	PHOTOCELL SHORTING CAP	-	-	-	-	-



SAMSON STREET LIGHT



75W LED DECORATIVE STREET LIGHT

Features

- Adjustable light head
- Precise lens technology provides light exactly where it is needed, reducing waste light and to maximize energy saving
- CCT 3000k/4000k/5700k
- IP65 rated
- 5 year warranty



1
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-out
SAM75WLED	75W LED DECORATIVE STREET LIGHT	75	3000/4000/5700	9000	600 X 530	75



HADES LED GROUND LIGHT



3W LED GROUND LIGHT

Features

- 3W 240V COB ground light
- Comes with 1m cable
- IP65 rated
- 3 year warranty



50
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-out
GL3WLED	3W 240V LED GROUND LIGHT 3000k	3	3000	300	52 X 80	45
GL3WLEDCW	3W 240V LED GROUND LIGHT 6000k	3	6000	300	52 X 80	45




IRIS UP/DOWN WALL LIGHT



UP/DOWN ADJUSTABLE BEAM WALL LIGHT

Features

- Contemporary minimal design
- Adjustable light beam angle
- Capable of producing dozens of different lights effects
- 5w LED each side
- 3 year warranty
- IP65 rated



30
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
UD5WLEDBL	2 X 5W UP/DOWN ADJUSTABLE BEAM WALL LIGHT - BLACK	10	3000	900	100 X 100 X 100
UD5WLEDWH	2 X 5W UP/DOWN ADJUSTABLE BEAM WALL LIGHT - WHITE	10	3000	900	100 X 100 X 100



BREEZ BRICK LIGHT



CCT BRICK LIGHT

Features

- Slim decorative design
- CCT selectable 3000k, 4000k & 6000k
- Polycarbonate construction ideal for coastal applications
- 2 cable entries for loop in/loop out wiring
- 3 year warranty
- IP65 rated



Code	Description	Watts	Kelvin	Lumens	Dimensions
BL3WLED	3W CCT LED BRICK	3	3000 / 4000 / 6000	180	210 X 85 X 30
BLCOVERBR	BRASS COVER FOR BRICK LIGHT	-	-	-	210 X 85 X 30
BLCOVERGO	GOLD COVER FOR BRICK LIGHT	-	-	-	210 X 85 X 30




COBRA BULKHEAD



CCT PIR SLIMLINE BULKHEAD

Features

- 10 watts
- CCT selectable 3000k, 4000k & 6000k
- Available in oval and round
- Comes with 3 trims
- PIR hold time 2 - 60mins
- Lux adjustable
- 5 year warranty
- IP65 rated



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
COB100VPIR	COBRA SLIM PIR BULKHEAD - OVAL	10	3000/4000/6000	1000	213 X 120 X 64
COB10R0PIR	COBRA SLIM PIR BULKHEAD - ROUND	10	3000/4000/6000	1000	215 X 215 X 80



ROYAL OVAL CCT LED BULKHEAD



18W CCT OVAL BULKHEAD

Features

- 18 watts
- CCT selectable 3000k, 4000k & 6000k
- Comes with a black and white trim
- Eyelid trims available as an extra
- 3 year warranty
- IP54 rated



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
BH18WVLED	18W OVAL CCT LED BULKHEAD	18	3000/4000/6000	1500	230 X 104 X 43
BHTRIMELBL	OPTIONAL EYELID TRIM FOR OVAL BULKHEAD	-	-	-	233 X 45
BHTRIMELWH	OPTIONAL EYELID TRIM FOR OVAL BULKHEAD	-	-	-	233 X 45



ROYAL ROUND CCT LED BULKHEAD



18W CCT ROUND BULKHEAD

Features

- 18 watts
- CCT selectable 3000k, 4000k & 6000k
- Comes with a black, white and chrome trim
- Pre - wired
- 3 year warranty
- IP54 rated



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
BH18WROLED	18W ROUND CCT LED BULKHEAD	18	3000/4000/6000	1000	238 X 50



STELLA OVAL LED BULKHEAD



12W OVAL BULKHEAD

Features

- 12 watts
- CCT 3000k, 4000k, 6000k
- Available in eyelid and plain
- Black horizontal eyelid trim available as an extra
- 5 year warranty
- IP65 rated



Code	Description	Watts	Kelvin	Lumens	Dimensions
BH120VBL	12W LED OVAL BULKHEAD - BLACK	12	3000/4000/6000	1200	300 X 200 X 80
BH120VWH	12W LED OVAL BULKHEAD - WHITE	12	3000/4000/6000	1200	300 X 200 X 80
BH120VELBL	12W LED OVAL EYELID BULKHEAD - BLACK	12	3000/4000/6000	1200	300 X 200 X 80
BH120VELWH	12W LED OVAL EYELID BULKHEAD - WHITE	12	3000/4000/6000	1200	300 X 200 X 80
BHTRIMEYBL	BLACK EYELID TRIM FOR BH12				300 X 200 X 80



VECTOR LED BULKHEAD



12W LED VECTOR BULKHEAD

Features

- 12 watts
- 4000k
- Various trims available
- Available in standard, emergency, sensor and emergency + sensor
- 5 year warranty
- IP65 rated




10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
VE12WLED	12W LED VECTOR BULKHEAD	12	4000	1140	300 X 95
VE12EM	12W LED VECTOR BULKHEAD - EMERGENCY	12	4000	1140	300 X 95
VE12S	12W LED VECTOR BULKHEAD - SENSOR	12	4000	1140	300 X 95
VE12EMS	12W LED VECTOR BULKHEAD - SENSOR + EMERGENCY	12	4000	1140	300 X 95
VETRIMBL	VECTOR TRIM - BLACK				310 X 100
VETRIMWH	VECTOR TRIM - WHITE				310 X 100
VETRIMCH	VECTOR TRIM - CHROME				310 X 100
VETRIMEYBL	VECTOR TRIM - EYELID BLACK				310 X 100
VETRIMEYWH	VECTOR TRIM - EYELID WHITE				310 X 100
VETRIMGRBL	VECTOR TRIM - GRILL BLACK				310 X 100
VETRIMGRWH	VECTOR TRIM - GRILL WHITE				310 X 100



VESTA



Features

- LED Wall light
- 11 watts
- CCT 3000k/4000k/6500k
- IP65 rated
- 3 year warranty



12
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
VES11CCT	VESTA 11W CCT LED WALL LIGHT	11	3000/4000/6500	580	260 X 80 X 40



NERO



Features

- Black PVC up/down wall light
- 12 watts
- 3000k
- IP65 rated
- 2 year warranty



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
NER123K	NERO PVC UP/DOWN WALL LIGHT	12	3000	1200	80 X 63 X 75



ARIES



Features

- Black PVC rectangle wall light
- Grey cover included
- 25 watts
- CCT 3000k/4000k/6500k
- IP65 rated
- 2 year warranty



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
AR25CCT	ARIES CCT PVC WALL LIGHT	25	3000 / 4000 / 6500	2000	320 x 130 x 100



VEGA



Features

- PVC Bulkhead
- 18 watts
- CCT 3000k/4000k/6500k
- Available in white and black
- IP65 rated
- 2 year warranty



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
V18CCTBL	VEGA 18W PVC BULKHEAD - BLACK	18	3000/4000/6500	1800	222 X 48
V18CCTWH	VEGA 18W PVC BULKHEAD - WHITE	18	3000/4000/6500	1800	222 X 48



LANA



PVC ROUND BULKHEAD

Features

- 15W PVC round bulkhead
- CCT 3000K, 4200K, 6500K
- 2 year warranty
- IP65 rated



Code	Description	Watts	Kelvin	Lumens	Dimensions
LA15CCT	LANA 15W CCT PVC ROUND BULKHEAD	15	3000/4200/6500	1350	170 x 100




TARA WALL LIGHT



GU10 WALL LIGHT

Features

- Max 35w
- 3 styles available
- 2 year warranty
- IP54 rated



10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
03570	TARA UP/DOWN GU10 WALL LIGHT	max 35	-	-	210 X 105 X 76
03568	TARA ADJUSTABLE GU10 WALL LIGHT	max 35	-	-	148 X 75
03569	TARA FIXED GU10 WALL LIGHT	max 35	-	-	130 X 86 X 75



Ireland T: 00353 (01) 4541015 | E: sales@presliteireland.com | W: www.greenlamp.ie
 UK Freephone: 0800 376 1167 | E: sales@greenlamped.co.uk | W: www.greenlamped.co.uk



FOREST WALL LIGHT



GU10 WALL LIGHT

Features

- Max 35w
- Available in black, silver and dark grey
- 2 styles available
- 2 year warranty
- IP44 rated




10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
03011	FOREST DOWNWARD GU10 WALL LIGHT - BLACK	max 35	-	-	80 X 70 X 90
03012	FOREST UP/DOWN GU10 WALL LIGHT - BLACK	max 35	-	-	150 X 70 X 90
03013	FOREST DOWNWARD GU10 WALL LIGHT - DARK GREY	max 35	-	-	80 X 70 X 90
03014	FOREST UP/DOWN GU10 WALL LIGHT - DARK GREY	max 35	-	-	150 X 70 X 90
03015	FOREST DOWNWARD GU10 WALL LIGHT - SILVER	max 35	-	-	80 X 70 X 90
03016	FOREST UP/DOWN GU10 WALL LIGHT - SILVER	max 35	-	-	150 X 70 X 90



WINSTON GU10 WALL LIGHT



GU10 UP/DOWN WALL LIGHT

Features

- Max 35w
- Available in black and stainless steel
- 2 year warranty
- IP44 rated




10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
03938	WINSTON STAINLESS STEEL UP/DOWN GU10 WALL LIGHT	max 35	-	-	101 X 160 X 60
03939	WINSTON BLACK UP/DOWN GU10 WALL LIGHT	max 35	-	-	101 X 160 X 60



HARRIETT WALL LIGHT



GU10 WALL LIGHT

Features

- Max 35w - 2 GU10 lamps required
- Matt Black
- 2 year warranty
- IP54 rated



10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
03941	HARRIETT UP/DOWN GU10 WALL LAMP	MAX 35W	-	-	225 x 112 x 80



DIANE WALL LIGHT



E27 WALL LIGHT

Features

- Max 60w
- Available in black and stainless steel
- 2 year warranty
- IP44 rated



8
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
03942	DIANE STAINLESS STEEL WALL LAMP	MAX 35W	-	-	237 x 115 x 113
03943	DIANE BLACK WALL LAMP	MAX 35W	-	-	237 x 115 x 113



Ireland T: 00353 (01) 4541015 | E: sales@presliteireland.com | W: www.greenlamp.ie
 UK Freephone: 0800 376 1167 | E: sales@greenlamped.co.uk | W: www.greenlamped.co.uk

ALFIE 15M FESTOON



15M FESTOON SET

Features

- 15M long
- Complete with 20 clear lamps and holders
- Comes with power supply
- Clear and Amber lamps available
- 690mm spacing
- Interconnectable
- 2 year warranty
- IP44 rated



6

BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
FES15M	15M FESTOON C/W LAMPS	max 15	-	-	20M X 65 X 50
ST1WAMBER	E27 AMBER LAMP FOR FESTOON	1	AMBER	50	45 X 87.5
ST1WCLEAR	E27 CLEAR LAMP FOR FESTOON	1	2700K	50	45 X 87.5



PHOENIX GU10 GROUND LIGHT



Features

- GU10 bulbs with a power consumption of up to 35 watts can be used
- The light can be driven over and is therefore suitable for driveways
- Comes with 1m cable
- 3 year warranty
- IP67 rated



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-out
GLGU10GR	GU10 GROUND LIGHT				110 X 110	98




SELENE LED SOLAR FLOODLIGHT



PIR SOLAR FLOODLIGHT

Features

- Available in 8w & 20w
- High lumen output
- Comes with PIR sensor
- 20w solar flood comes with a replaceable battery
- 1 year warranty
- IP65 rated



40 SOLFLOODPIR
10 SOLFLOODPIR20W
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
SOLFLOODPIR	8W SOLAR FLOOD WITH PIR	8	6000	850	116 X 103 X 74
SOLFLOODPIR20W	20W SOLAR FLOODLIGHT WITH PIR	20	6000	2000	194 X 121 X 32



THEIA SOLAR FLOODLIGHT



200W SOLAR FLOODLIGHT WITH MOTION SENSOR

Features

- 200 watts
- 6000k - 6500k
- Comes with remote control to adjust brightness and set timers
- 1 year warranty
- IP65 rated



5
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
SOLFLOOD200SEN	200W SOLAR FLOODLIGHT WITH MOTION SENSOR	200	6000-6500	4000	258 X 213 X 45



HELIOS SOLAR FESTOON SET



10M FESTOON SET

Features

- 10M long
- Comes with 10 E27 Clear bulbs
- 1m socket spacing
- Charging time 10 - 12 hours
- Working time 6 - 8 hours
- 2 year warranty
- IP65 rated



6

BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
SOLFES10M	HELIOS SOLAR FESTOON SET	max 10	2700k	-	10m
DC2WLAMP	CLEAR LAMPS FOR SOLAR FESTOON	1	2700k	50	3.42 X 1.77



SMART HOME



SMART HOME RANGE

Features

- Google home and amazon Alexa compatible
- RGB + CCT Controllable
- Can be synced up to change with the rhythm of music
- Connects directly to WI-FI
- Pre set time schedule and colour scene can be set via app
- 2 year warranty
- IP20 rated




100 BULB
50 FLOODLIGHT
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
SM10ESGLSCCT	10W SMART WIFI GLS E27 LAMP	10	RGB + CCT	806	120 X 60
SM10BCGLSCCT	10W SMART WIFI GLS B22 LAMP	10	RGB + CCT	806	120 X 60
SM5GU10CCT	5W SMART WIFI GU10 LED LAMP	5	RGB + CCT	400	50 X 53
SM50FLRGCCT	50W SMART WIFI LED FLOODLIGHT	50	RGB + CCT	6000	197 X 212 X 46




WIFI MODULE



Features

- Make any existing Dimmable LED Fitting into a Smart Home Fitting
- Controlled From Mobile APP
- Can Dim Fittings up to 150W
- Google Home and Amazon Alexa Compatible
- Pre-set Time schedule can be set via app



Code	Description	Watts	Kelvin	Lumens	Dimensions
WIFIMODULE	WIFI DIMMING MODULE FOR UP TO 150W	MAX 150			55 X 55 X 20



110V LED FESTOON KITS



Features

- Robust design and impact resistant
- 20m and 50m available
- Hinged end and pre-drilled holes for easy mounting anywhere on site
- Low heat output so can be easily moved around site
- Inter-connectable with up to 20 units
- Splitter cable available
- 3 year warranty
- IP44 rated



4
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
WK7550	20M LED FESTOON 50W KIT 110V	50	6000	4250	75 X 60 X 20M
WK75100	50M LED FESTOON 100W KIT 110V	100	6000	8500	75 X 60 X 50
WKFES200	FESTOON SPLITTER CABLE	-	-	-	500 X 500



CORROSIVE PROOF 110V FITTING



Features

- Yellow finish for high visibility
- Hanging bracket included for suspension
- Opal diffuser to reduce glare for working conditions
- 35 watts
- Emergency option available
- IP54 rated
- 3 year warranty





6
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
ACF35LED110V	35W 5FT CORROSIVE PROOF 110V FITTING	35	6000	3850	1500 X 82 X 72
ACF35LED110VEM	35W 5FT CORROSIVE PROOF 110V FITTING EMERGENCY	35	6000	3850	1500 X 82 X 72



110V 4.5W EMERGENCY BULKHEAD



Features

- Can be maintained or non-maintained
- Multiple cable entries options allows the fitting to be installed on trunking
- Deep discharge protection on the battery, Prevents it been completely drained ensuring fitting will always be ready in the event of a power cut
- IP65 rated
- 3 year warranty



10
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
WKEMB45	4.5W 110V EMERGENCY BULKHEAD	4,5	6000	220	335 X 110 X 70



NEO EMERGENCY PACK



Features

- Comes with white, black and chrome bezels
- New design for quick battery replacement
- Ni-Cd Battery
- 3-4 hour emergency time
- IP20 rated
- 3 year warranty



40
BOX Quantity



Code	Description	Watts	Kelvin	Dimensions	Lumens	Cut Out
EMER3LED	3W LED NON MAINTAINED EMERGENCY DOWNLIGHT PACK	3	6000	213 X 40 X 25	200	50



CYCLOPS SURFACE EMERGENCY DOWNLIGHT



Emergency Down light

Features

- Surface mounted emergency down light
- 6000k
- 3 hour emergency back up
- Available in black and white
- 3 year warranty
- IP65 rated



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
CY2WLEDWH	WHITE SURFACE EMERGENCY DOWNLIGHT	2	6000	220	164 X 164 X 56
CY2WLEDBL	BLACK SURFACE EMERGENCY DOWNLIGHT	2	6000	220	164 X 164 X 56




UNIVERSAL EMERGENCY PACK



Features

- Plug and play design
- 3-4 hours emergency time
- Works on all fittings up to 100w
- Ranges from 9-80v output
- IP20 rated
- 3 year warranty



1
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions	Cut-Out
EMUL3W	100W UNIVERSAL EMERGENCY PACK FOR LED FITTINGS UPTO	100			174 X 52 X 51	



MICROWAVE SENSOR AND ENCLOSURES



Features

- Adjustable detection range
- Adjustable hold time
- 8M detection range
- Adjustable lux settings
- 3 year warranty
- IP65 rated



1
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
CDDME	MICROWAVE SENSOR				80 X 37 X 26
SPENCLOSURE	ENCLOSURE FOR MICROWAVE SENSOR				120 X 50



HYDRO OUTDOOR SOCKETS



WEATHERPROOF SOCKETS

Features

- Side & base knockouts
- Secure and easy to open lid catch
- IK06 Impact resistance
- 13A double pole switched socket outlets
- Single and twin sockets available
- 5 year warranty
- IP66 rated



20
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
HY2G	2 GANG OUTDOOR SOCKET				168 X 110 X 81
HY1G	1 GANG OUTDOOR SOCKET				110 X 110 X 81



HYDRO OUTDOOR SWITCHES



OUTDOOR SWITCHES & BELL PUSH

Features

- Weatherproof switches with indicator
- Grey finish
- Voltage 240v
- IP66 rated
- 5 year warranty



50
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
HY1G2W	1 GANG 2 WAY OUTDOOR SWITCH				88 X 88 X 58
HY2G2W	2 GANG 2 WAY OUTDOOR SWITCH				88 X 88 X 58
HY2G3W	3 GANG WIRELESS PUSH SWITCH				88 X 88 X 58
HY1G20A	BELL PUSH				88 X 88 X 58



KINETIC WIRELESS SWITCHES



WIRELESS SWITCHES & RECEIVER

Features

- No battery, no wiring
- 10 amp output
- 100,000 switching cycle
- The switches are IP44 rated
- The receiver is IP20 rated
- Working distance - 200m outdoor - 50m indoor
- 2 year warranty



1
BOX Quantity



Code	Description	Watts	Kelvin	Lumens	Dimensions
WS01	1 GANG WIRELESS PUSH SWITCH				86 X 86 X 16.5
WS02	2 GANG WIRELESS PUSH SWITCH				86 X 86 X 16.5
WS03	3 GANG WIRELESS PUSH SWITCH				86 X 86 X 16.5
RF301	AC100 - 240V RF RECEIVER				60 X 42 X 28



WARRANTY

The warranty commences from the date of the sale by the Customer regardless of whether the Claimant is the purchaser or the end user. In order to make a claim under this warranty, the product(s) concerned must be returned to the Supplier with a written description of the alleged defect, so the product(s) may be inspected, to ascertain whether it has been used and installed correctly and effect remedy for qualifying claims. The claim must be accompanied by clear evidence (invoice) of where and when the product was purchased by the customer or that purchaser's end user.

LED Lamps by their nature are subject to small fluctuations in colour and output through life. The warranty does not cover this. In addition, it does not cover normal deterioration through life, which can include the failure of a percentage of individual LED's.

Lithium batteries installed in the product have a 1-year warranty provided they have not been damaged and are tested in accordance with BS EN 5266-8-2004. Testing more frequently than the regime specified in the standard may reduce the life of the batteries and will void the warranty.

The customer's rights under statute are not affected by the terms of this warranty. Except as set out in this warranty statement:

- The Supplier gives no warranty and makes no representations in relation to the products; and shall have no liability for the failure of any product to comply with the warranty in this statement.
- All warranties and conditions (including the conditions implied by ss 12 – 16 of the Supply of Products and Services Act 1982 and ss 13 – 15 of the Sale of Products Act 1979), whether express or implied by statute, common law or otherwise are excluded to the full extent permitted by the applicable law.

WEEE & BATTERIES

Battery Recycling: As part of our commitment to ensure batteries are disposed of responsibly after use, the following free of charge option is available. Waste batteries can be returned free of charge to a local authority facility or our premises at Preslite Distribution Limited, 700 Sycamore Road, Western Industrial Estate, Dublin 12, D12 EV29, provided the batteries are of the equivalent type sold by us.

Why we take recycling of batteries seriously: Some household batteries contain chemicals like lead, mercury or cadmium. If batteries are disposed of in your normal waste bin, they are likely to end up in landfill. When the batteries are put into landfill they start to breakdown, and can leak some of the chemicals into the ground. This can cause soil and water pollution, which may lead to health risks. Recycling avoids this and can also recover some of the raw materials used for making batteries. These can be used to make other products. The result of recycling means we can save some of the planet's resources by reducing the need to mine new materials.

WEEE Recycling: Customers wishing to dispose of B2C waste electrical and electronic equipment (WEEE) when it reaches the end of its life, can do so for free of charge on a one-for-one, like for like basis by informing customer services when ordering a new product. Preslite will also notify you 24 hours in advance of delivery. If the end of life product is not available for collection when the new product is delivered we will arrange for it to be collected within 15 days of delivery of your new product.

Please contact Preslite Distribution Limited at the number below for enquires about the return of B2B WEEE. Please note that B2B WEEE is not subject to one for one / like for like purchase, nor is there an associated restrictive timeframe.

Returned End of Life WEEE (both B2C and B2B) are sent to an authorised treatment facility where they will be treated and disposed of in an environmentally sound way. Alternatively, you can take the item to our premises at Preslite Distribution Limited, 700 Sycamore Road, Western Industrial Estate, Dublin 12, D12 EV29. You can also take B2C WEEE items to your local authority civic amenity facility who take back B2C WEEE free of charge.

Price of electrical items includes a contribution to recycling costs.

- | | | |
|-----------------|----------------------|--|
| Category 3.2.1: | LED Lamps | - included in this price is a contribution to recycling costs of €0.05 |
| Category 4.5.1: | Large LED Luminaires | - included in this price is a contribution to recycling costs of €0.05 |
| Category 5.5.1: | Small LED Luminaires | - included in this price is a contribution to recycling costs of €0.05 |

All WEEE (both B2C & B2B) and waste batteries must be recycled and should not be placed in your waste disposal or recycling bins.

For further information on this matter, please contact our dedicated sales team on 01-4541015. Preslite Distribution Ltd, Registration Number: IE01980WB
WEEE Ireland Membership Number: PRE300

T&C'S

1. All prices exclude VAT at appropriate rate.
2. No Goods Will be accepted for returns unless authorised in writing and a returns number has been issued. Any goods returned without authorisation will be refused.. please contact the office +353 1 4541015 or via e-mail sales@greenlamp.ie
3. Carriage will be charged at cost for orders under the value of €300 for Ireland and £250 for the UK, £500 for the Channel Islands and Isle Of Man orders over this value will be delivered FOC. Additional fees may apply to some postcode areas , please check with out sales team.
4. Terms of trading are strictly 30 days nett on approved accounts unless otherwise stated. Failure to pay within the agreed terms without prejudice to any of the sellers rights may result in suspension of deliveries and collections of goods. We also reserve the right to forward your account to a third party to commence with legal action
5. Ownership of the goods will remain the property of the company until payment for the goods has been made in full.
6. Prices may be subject to surcharge due to exchange rate fluctuations.
- 7 In the event of goods being lost/short delivered or damaged in transit, we must be notified with in 3 working days of the delivery. We will not process any claims later than this
8. In the event of goods supplied by the company being deemed faulty, the company shall replace these goods free of charge. The company shall not however be liable for any secondary costs.
9. Environmental Management Charges (EMC's) will apply where applicable.
10. All stated measurements are given as a guide only, the company will accept no responsibility for errors or omissions
11. The Company reserves the right to change product specification of design at any time.
12. Our Courier companies Hold proof of Deliveries For 6 months. There for we can not process claims for PODs later than this



PRESLITE DISTRIBUTION LTD

700 Sycamore Road, Western Industrial Estate,
Dublin 12, D12 EV29, Ireland

T: 00353 (01) 4541015

UK Freephone: 0800 376 1167

E: sales@presliteireland.com

E: sales@greenlamped.co.uk



www.greenlamp.ie